


R.C.A./S.C.A.R.T. CONNECTORS



Power Dynamics R.C.A. and S.C.A.R.T. connectors are widely used for audio and video applications. PDI offers many mounting configurations and colors that satisfy current standards.

PDI[®]
Power Dynamics, Inc.

EXAMPLE & ORDERING CODE

RCA - 011 W -

BODY STYLE:
SEE CATALOG PAGES 191-193

COLOR:	BLACK	= B
	RED	= R
	WHITE	= W
	YELLOW	= Y
	ORANGE	= N
	WHITE/RED (TOP/BOTTOM)	= WR

PLATING:	NICKEL, SILVER	= BLANK
	GOLD FLASH	= G

SPECIFICATIONS

MATERIAL AND FINISH:

- Housing:**
Material: ABS
Rating: UL 94-HB
- Contacts:**
- Earth Terminal:**
Material: Steel
Plating: Nickel, Silver
- Tip Terminal:**
Material: Brass
Plating: Nickel, Silver
- Shunt Terminal:**
Material: Brass
Plating: Nickel, Silver

MECHANICAL SPECIFICATIONS:

- Insertion Force:** 3 kg max.
Extraction Force: 0.8 to 3 kg

ELECTRICAL SPECIFICATIONS:



- Insulator Resistance:** 100 Megaohm min. @ 500 VDC
Dielectric Withstanding Strength: 500 VAC @ 50/60 Hz for 1 minute
Contact Resistance: 30 milliohm max. @ 1 kHz and less than 100 milliamps
Soldering Heat: 180°C for 4 seconds
Current Rating: 1A



145 Algonquin Parkway, Whippany, NJ 07981 • 973-560-0019 • FAX: 973-560-0076
e-mail: sales@powerdynamics.com • www.powerdynamics.com



RCA Jacks

RCA-011X





X=color

RCA-021X



X=color

RCA-031X



X=color



Specifications subject to change without notice. Dimensions in mm.

145 Algonquin Parkway, Whippany, NJ 07981 • 973-560-0019 • FAX: 973-560-0076
 e-mail: sales@powerdynamics.com • www.powerdynamics.com





RCA Jacks

RCA-041X




X=color

RCA-151X



X=color

RCA-061X



X=color


Specifications subject to change without notice. Dimensions in mm.




145 Algonquin Parkway, Whippany, NJ 07981 • 973-560-0019 • FAX: 973-560-0076
 e-mail: sales@powerdynamics.com • www.powerdynamics.com

Multiple Port RCA Jacks


RCA-072XX




XX=color (top/bottom)




RCA-084XX




XX=color (top/bottom)



RCA-096XX





XX=color (top/bottom)





Specifications subject to change without notice. Dimensions in mm.

S.C.A.R.T.

EI-021



EI-022





Specifications subject to change without notice. Dimensions in mm.





145 Algonquin Parkway, Whippany, NJ 07981 • 973-560-0019 • FAX: 973-560-0076
 e-mail: sales@powerdynamics.com • www.powerdynamics.com

S.C.A.R.T.

EI-023



EI-024



Specifications subject to change without notice. Dimensions in mm.

145 Algonquin Parkway, Whippany, NJ 07981 • 973-560-0019 • FAX: 973-560-0076
 e-mail: sales@powerdynamics.com • www.powerdynamics.com


PDI[®]
 Power Dynamics, Inc.

RCA/S.C.A.R.T. CONNECTORS

15

S.C.A.R.T. Plug

SP-021



RoHS
2002/95/EC
COMPLIANT

Specifications subject to change without notice. Dimensions in mm.



145 Algonquin Parkway, Whippany, NJ 07981 • 973-560-0019 • FAX: 973-560-0076
e-mail: sales@powerdynamics.com • www.powerdynamics.com