


PLUGS FOR PORTABILITY™



Power Dynamics offers the industry's most extensive range of durable Plugs for Portability™. Options include integral finger grips that permit ease of insertion and extraction, fused and non-fused versions, green and red LED indicators, and female sockets. All adapters are also available with or without custom cordage and mating connectors. Custom assemblies welcomed.

PDI®
Power Dynamics, Inc.


Plugs for Portability

RoHS
2002/95/EC
COMPLIANT

CAS-0001




Custom cords available



C-14R (Red LED)
C-14G (Green LED)




Custom cords available



C-15



Custom cords available



Specifications subject to change without notice. Dimensions in mm.
See page 314 for custom cordage.





145 Algonquin Parkway, Whippany, NJ 07981 • 973-560-0019 • FAX: 973-560-0076
e-mail: sales@powerdynamics.com • www.powerdynamics.com

Plugs for Portability



RoHS
2002/95/EC
COMPLIANT

C-29





Custom cords available

C-38R (Red LED)
C-38G (Green LED)
C-40 (No LED)



Custom cords available

C-39



Custom cords available

Specifications subject to change without notice. Dimensions in mm.
See page 314 for custom cordage.

145 Algonquin Parkway, Whippany, NJ 07981 • 973-560-0019 • FAX: 973-560-0076
e-mail: sales@powerdynamics.com • www.powerdynamics.com

PDI[®]
Power Dynamics, Inc.

PLUGS FOR PORTABILITY

16


Plugs for Portability

RoHS
2002/95/EC
COMPLIANT


C-41



Custom cords available



PLUG FOR PORTABILITY ASSEMBLY



CABLE WORKSHEET
(PLEASE FILL IN ALL SPACES)

END A: (PDI PART NO.)

END B: CUSTOMER SPECIFICATION REQUIRED
(IF NONE, SEE NEXT LINE)

ROJ _____ CM

STRIP _____ MM

TIN _____ MM

CABLE LENGTH _____ CM

CABLE TYPE/AWG _____



145 Algonquin Parkway, Whippany, NJ 07981 • 973-560-0019 • FAX: 973-560-0076
e-mail: sales@powerdynamics.com • www.powerdynamics.com