







## Benefits

- Screens can be hung or mounted on windows
- Power supplies are integrated into the frame to support faster and easier installation

## **Specifications**

Model	P2.6	P3.3	P3.9	P3.9
LED	SMD1515	SMD1515	SMD1515	SMD1921
Resolution	67454 dot/m²	42630 dot/m²	32768 dot/m <sup>2</sup>	32768 dot/m <sup>2</sup>
Pixel Pitch	2.61mm x 5.68mm	3.38mm x 6.94mm	3.91mm x 7.82mm	3.91mm x 7.82mm
Cabinet Size	1000mm x 500mm	1000mm x 500mm	1000mm x 500mm	1000mm x 500mm
Cabinet Resolution	384 × 88	296 × 72	256 × 64	256 × 64
Brightness	5000 - 5500 cd/m <sup>2</sup>	5000 - 5500 cd/m <sup>2</sup>	5000 - 5500 cd/m <sup>2</sup>	5500 - 6000 cd/m <sup>2</sup>
Transparency	> 72%	> 78%	> 80%	> 74%

Model	P8	P10	P10
LED	SMD1921	SMD1921	SMD2727
Resolution	16384 dot/m²	9216 dot/m <sup>2</sup>	9216 dot/m <sup>2</sup>
Pixel Pitch	7.82mm x 7.82mm	10.42mm x 10.42mm	10.42mm x 10.42mm
Cabinet Size	1000mm x 500mm	1000mm x 500mm	1000mm x 500mm
Cabinet Resolution	128 × 64	96 × 48	96 × 48
Brightness	5000 - 5500 cd/m <sup>2</sup>	5000 - 5500 cd/m <sup>2</sup>	7000 - 7500 cd/m <sup>2</sup>
Transparency	> 80%	> 85%	> 75%

Recommended Applications

## **Specifications**

Model	P16	P16	P20
LED	SMD1921	SMD2727	SMD2727
Resolution	4096 dot/m²	4096 dot/m²	2304 dot/m <sup>2</sup>
Pixel Pitch	15.63mm x 15.63mm	15.62mm x 15.62mm	20.83mm x 20.83mm
Cabinet Size	1000mm x 500mm	1000mm x 500mm	1000mm x 500mm
Cabinet Resolution	64 × 32	64 × 32	48 × 24
Brightness	3000 - 3500 cd/m <sup>2</sup>	7000 - 7500 cd/m <sup>2</sup>	5000 - 5500 cd/m <sup>2</sup>
Transparency	> 90%	> 95%	> 88%

Recommended Applications